


PACCAR ENGINES

PX-9

EPA 2021

The 8.9-liter PACCAR PX-9 engine has one of the highest power-to-weight ratios in its class, and will move heavy payloads without hesitation.

Available in both medium and heavy-duty configurations this engine delivers the durability and efficiency needed to lower operating expenses, reduce maintenance and increase productivity.




DRAIN
SECOND
SUMP
FIRST


RATINGS

PEAK HORSEPOWER	PEAK TORQUE (LB.-FT. @ RPM)
260	860 @ 1,200
270 ¹	860 @ 1,200
300 ¹	860 @ 1,200
330 ¹	1,000 @ 1,200
350	1,050 @ 1,200
360 ¹	1,150 @ 1,200
370 ¹	1,250 @ 1,200
380	1,250 @ 1,200
380 ²	1,150 @ 1,200
400 ²	1,250 @ 1,200
450 ²	1,250 @ 1,200


¹Also Fire Service Rating,
²Fire Service Rating Only



HORSEPOWER



TORQUE



SPECIFICATIONS

CONFIGURATION	Inline 6-cylinder	GOVERNED SPEED	2,100-2,200 RPM
BORE X STROKE (MM)	114x145	CLUTCH ENGAGEMENT TORQUE³	500 LB.-FT. @ 700 RPM
DISPLACEMENT	8.9 L.	BASE WARRANTY⁴	2 YRS./250K MILES/400K KM
DRY WEIGHT	1,695 LBS.	CERTIFICATION	EPA 2021
OIL SYSTEM CAPACITY	29 U.S. QTS.		
HORSEPOWER	260-450 HP		
PEAK TORQUE	860-1,250 LB.-FT.		

³Determined By Engine Horsepower and Idle Setting
⁴Extended Protection Plans Available

MAINTENANCE INTERVALS

MAINTENANCE ITEM	MI.	KM.
Fuel Filter	50,000 ⁵	80,000
Oil and Filter	50,000 ⁵	80,000
DEF Filter	200,000	320,000

⁵Duty cycle dependent. Please reference Operator's Manual.

